



ALU PROFILI

Premium rešenja za enterijere.





SADRŽAJ

PROFILI ZA IZRADU STAKLENIH RAMOVA 04

P-8 ALU PROFIL | INTEGRISANA RUČKA 05

P-19 ALU PROFIL | INTEGRISANA RUČKA 07

P-20 ALU PROFIL 10

P-1 ALU PROFIL 11

MONAKO ALU PROFIL 12

STAKLA ZA RAMOVE 13

KLIZNI SISTEM IVA KS-10 16

KLIZNI SISTEM IVA KS-18 20

01





PROFILI ZA IZRADU
STAKLENIH RAMOVA





P-8

ALU PROFIL | INTEGRISANA RUČKA

PROFILI ZA IZRADU STAKLENIH RAMOVA



Naziv	Šifra	Obrada	Dužina (m)	Paket (kom)
Profil za ramove P-8	AP450862	Siva	5.8	10
Profil za ramove P-8	AP450814	Crna	5.8	10
Profil za ramove P-8	AP450866	Zlato	5.8	10
Profil za ramove P-8	AP450869	Šampanj	5.8	10
Profil za ramove P-8	AP450812	Bela	5.8	10
Integrisana ručka za P-8	APINT450814	Crna	5.8	10




Set vezača za profil

Naziv: Vezač sa vijcima za profil P-8

Šifra: AP045

Paket (kom): 100



Keder za profil



Naziv: Keder za profil P-8





Šifra: K81920

Obrada: Transparentna

Dužina (m): 3

Paket (kom): 4










P-19

ALU PROFIL | INTEGRISANA RUČKA



PROFILI ZA IZRADU STAKLENIH RAMOVA



A - 29 mm
B - 29 mm



Naziv	Šifra	Obrada	Dužina (m)	Paket (kom)
Profil za ramove P-19	AP192162	■ Siva	5.8	10
Profil za ramove P-19	AP192114	■ Crna	5.8	10
Profil za ramove P-19	AP192166	■ Zlato	5.8	10
Profil za ramove P-19	AP192169	■ Šampanj	5.8	10
Integrisana ručka za P-19	APINT451914	■ Crna	5.8	10




Set vezača za profil

Naziv: Vezač sa vijcima za profil P-19

Šifra: AP020

Paket (kom): 100



Keder za profil


Naziv: Keder za profil P-19

Šifra: K81920

Obrada: Transparentna

Dužina (m): 3

Paket (kom): 40 




Šarka za uski ram

Naziv: Šarka sa usporivačem za profil P-19

Šifra: AP020G5G

Obrada: Crna 

Paket (kom): 200 



Šarka polukoleno za uski ram

Naziv: Šarka polukoleno sa usporivačem za profil P-19

Šifra: AP020K52P

Obrada: Crna 

Paket (kom): 200 



Šarka koleno za uski ram

Naziv: Šarka koleno sa usporivačem za profil P-19

Šifra: AP020K52K

Obrada: Crna 


Paket (kom): 200 






RAVNA ŠARKA


*F - Fuga




POLUKOLENO ŠARKA



KOLENO ŠARKA

*A - Mesto za pričvršćivanje montažne ploče
pomaci unazad za debljinu okvira + 1.7 mm

Minimalni prerez fuge F za frontove sa aluminijumskim okvirom (R = 1 mm) kod fabričkog podešavanja




Širina okvira RB (mm)	Debljina okvira RD (mm)											
19	0.2	0.3	0.4	0.6	0.7	1.2	0	0	0	0	0	0
20	0.2	0.3	0.4	0.5	0.7	1.1	0	0	0	0	0	0
21	0.2	0.3	0.4	0.5	0.7	1.0	0	0	0	0	0	0
22	0.2	0.3	0.4	0.5	0.7	1.1	0	0	0	0	0	0

Dodatno kod +2 mm bočnog pomeranja

+0.1	+0.2	+0.3	+0.3	+0.3	+0.4							
------	------	------	------	------	------	--	--	--	--	--	--	--

o Preporučujemo da pokušate da odredite granicu



Montaža podloške




*RB - Širina vrata

*A - Lonac šarki treba da se osloni na napravljeni otvor

Podešavanje

Maks. ±3.0 mm
Vidi montažne ploče

±2.0 mm

+3.0 mm
-2.0 mm

CLIP top 95° šarke za aluminijumski okvir

Naziv / obrada

Nikl






Onyx

Ravna 95°	CLIP top	B-71T950A	B-71T950AONS
	CLIP top - bez opruge	B-70T950A.TLMB	B-70T950A.TLONS
Polukoleno 95°	CLIP top	B-71T960A	B-71T960AONS
Koleno 95°	CLIP top	B-71T970A	B-71T970AONS
Podloška	3D	B-173H7100	B-173H7100C

P-20

ALU PROFIL

PROFILI ZA IZRADU STAKLENIH RAMOVA




Naziv	Šifra	Obrada	Dužina (m)	Paket (kom)
Profil za ramove P-20	AP452062	■ Siva	5.8	10
Profil za ramove P-20	AP452014	■ Crna	5.8	10
Profil za ramove P-20	AP452069	■ Šampanj	5.8	10

Set vezača za profil

Naziv: Vezač sa vijcima za profil P-20

Šifra: AP045

Paket (kom): 100



Keder za profil




Naziv: Keder za profil P-20

Šifra: K81920

Obrada: Transparentna

Dužina (m): 3





Paket (kom): 4



P-1

ALU PROFIL

PROFILI ZA IZRADU STAKLENIH RAMOVA




Naziv	Šifra	Obrada	Dužina (m)	Paket (kom)
Profil za ramove P-1	AP450162	■ Siva	5.8	10
Profil za ramove P-1	AP450114	■ Crna	5.8	10
Profil za ramove P-1	AP450169	■ Šampanj	5.8	10


Set vezača za profil

Naziv: Vezač sa vijcima za profil P-1

Šifra: AP045

Paket (kom): 100





Naziv	Šifra	Obrada	Dužina (m)	Paket (kom)
Profil za ramove MONAKO	2-55462	■ Siva	5.8	10
Profil za ramove MONAKO	2-55414	■ Crna	5.8	10
Profil za ramove MONAKO	2-55466	■ Zlato	5.8	10
Profil za ramove MONAKO	2-55469	■ Šampanj	5.8	10



02

STAKLA ZA RAMOVE





STAKLO DEKORATIVNO PARSOL
Bronza | 4 mm
PARS.BRONZ4



STAKLO DEKORATIVNO PARSOL
Siva | 4 mm
PARS.SIVI4



STAKLO DEKORATIVNO PARSOL
Crna | 4 mm
PARS.CRNI4



STAKLO DEKORATIVNO STOPSOL
Bronza | 4 mm
STOPSOL.BRONZ4



STAKLO DEKORATIVNO STOPSOL
Siva | 4 mm
STOPSOL.SIVI4



STAKLO DEKORATIVNO LACOBEL
Crna | 4 mm
LAC4CRN



STAKLO DEKORATIVNO LACOBEL
Bela | 4 mm
LAC4BELI



STAKLO DEKORATIVNO FLUTEX
4 mm
ORNFLU



STAKLO EXTRA CLEAR
Providno | 4 mm
EX4MM



STAKLO FLOAT
Providno | 4 mm
S4FLOAT



STAKLO SATINATO
Providno | 4 mm
MATX



OGLEDALO
Bronza | 4 mm
OGLED.BRONZ



OGLEDALO
Siva | 4 mm
OGLED.SIVO



OGLEDALO SA BELOM FOLIJOM
Bronza | 4 mm
OGLED.BRONZFOL



OGLEDALO SA BELOM FOLIJOM
Siva | 4 mm
OGLED.SIVOFOL



OGLEDALO CLEAR
4 mm
OGLED4



OGLEDALO CLEAR SA BELOM FOLIJOM
4 mm
OGLED4FOL



03

KLIZNI SISTEM
IVA KS-10




Gornja šina

Šifra	Obrada	Dužina (m)
KS101871315114	● Crna	5.8
KS101871315169	● Šampanj	5.8
KS101871315162	● Siva	5.8




Donja šina

Šifra	Obrada	Dužina (m)
KS101871319114	● Crna	5.8
KS101871319169	● Šampanj	5.8
KS101871319162	● Siva	5.8




Gornji profil 10 mm

Šifra	Obrada	Dužina (m)
KS1011812114	● Crna	5.8
KS1011812169	● Šampanj	5.8
KS1011812162	● Siva	5.8





Donji profil 10 mm

Šifra	Obrada	Dužina (m)
KS1011813114	● Crna	5.8
KS1011813169	● Šampanj	5.8
KS1011813162	● Siva	5.8





Pregradni profil 10 mm

Šifra	Obrada	Dužina (m)
KS1011814114	● Crna	5.8
KS1011814169	● Šampanj	5.8
KS1011814162	● Siva	5.8



Rukohvat 10 mm

Šifra	Obrada	Dužina (m)
KS1091219114	● Crna	5.5
KS1091219169	● Šampanj	5.5
KS1091219162	● Siva	5.5




Četkica



Naziv	Šifra	Boja
Četkica	ČETKICA1018	● Siva
Četkica	ČETKICA1018C	● Crna

Keder 10 mm



Šifra	Obrada	Dužina (m)
K10	Providni	3

Set točkića

Šifra	Naziv
KS1018SLOW	Set točkića sa usporivačem 40kg
KS10C	Set asimetričnih točkića bez usporivača





*Mogućnost izrade gotovih vrata po meri.





Indeks širine	
W	Širina otvora
W1	Širina vrata
X	Širina ispune
Z	Širina profila (gornje i donje šine, pregradnog profila)

Broj preklopa	Vrednost preklopa
1	13 mm
2	26 mm
3	39 mm
4	52 mm

Formule za izračunavanje pozicija širine	
W1	$(W + \text{vrednost preklopa}) / \text{broj vrata}$
X	$W1 - 6 \text{ mm}$
Z	$W1 - 24 \text{ mm}$

Indeks visine	
H	Visina otvora
H1	Visina vrata
Y	Visina ispune
Y1	Visina ispune sa pregradnim profilima

Formule za izračunavanje pozicija visine	
H1 (za sistem sa usporivačem)	$H - 45 \text{ mm}$
H1 (za sistem bez usporivača)	$H - 40 \text{ mm}$
Y	$H1 - 6 \text{ mm}$
Y1	$(H1 - 6 \text{ mm} - 3 \text{ mm}) / 2$





04

KLIZNI SISTEM
IVA KS-18




Gornja šina

Šifra	Obrada	Dužina (m)
KS101871315114	● Crna	5.8
KS101871315169	● Šampanj	5.8
KS101871315162	● Siva	5.8




Donja šina

Šifra	Obrada	Dužina (m)
KS101871319114	● Crna	5.8
KS101871319169	● Šampanj	5.8
KS101871319162	● Siva	5.8





Gornji / Pregradni profil 18 mm

Šifra	Obrada	Dužina (m)
KS18717191T14	● Crna	5.8
KS18717191T69	● Šampanj	5.8
KS18717191T62	● Siva	5.8






Donji profil 18 mm

Šifra	Obrada	Dužina (m)
KS18717181T14	● Crna	5.8
KS18717181T69	● Šampanj	5.8
KS18717181T62	● Siva	5.8




Rukohvat 101 18 mm

Šifra	Obrada	Dužina (m)
KS1881018114	● Crna	5.5
KS1881018169	● Šampanj	5.5
KS1881018162	● Siva	5.5



Rukohvat 111 18 mm

Šifra	Obrada	Dužina (m)
KS185111118114	● Crna	5.5
KS185111118169	● Šampanj	5.5



Guma 14x10



Šifra	Obrada	Dužina (m)
7917121	Siva	32

Četkica




Naziv	Šifra	Boja
Četkica	ČETKICA1018	● Siva
Četkica	ČETKICA1018C	● Crna

Set točkića

Šifra	Naziv
KS1018SLOW	Set točkića sa usporivačem 40kg
KS18A	Set asimetričnih točkića bez usporivača





*Mogućnost izrade gotovih vrata po meri.





Indeks širine	
W	Širina otvora
W1	Širina vrata
X	Širina ispune

Broj preklopa	Vrednost preklopa
1	30 mm
2	60 mm
3	60 mm
4	120 mm

Formule za izračunavanje pozicija širine	
W1	$(W + \text{vrednost preklopa}) / \text{broj vrata}$
X	$W1 - 23 \text{ mm}$

Indeks visine	
H	Visina otvora
H1	Visina vrata
Y	Visina ispune
Y1	Visina ispune sa pregradnim profilima

Formule za izračunavanje pozicija visine	
H1 (za sistem sa usporivačem)	$H - 45 \text{ mm}$
H1 (za sistem bez usporivača)	$H - 40 \text{ mm}$
Y	$H1 - 63 \text{ mm}$
Y1	$(H1 - 63 \text{ mm} - 8 \text{ mm}) / 2$





 **tis**
www.tis.rs

DC IVANJICA 32250 Ivanjica, Šume bb • Tel: +381 (0)32 651 922, 651 923, 651 927 • office@tis.rs | **MP IVANJICA** 32250 Ivanjica, Bukovica 98b • Tel: +381 (0)32 660 121, 660 123 • kuca.namestaja@tis.rs | **DC PAZOVA** 22330 Nova Pazova, Vojački put 20 • Tel: +381 (0)22 327 444, 327 555 • pazova@tis.rs | **MP PAZOVA** 22330 Nova Pazova, Vojački put 20 • Tel: +381 (0)22 327 111, 327 333 • mp.pazova@tis.rs | **TIS JELOVICA** 34000 Kragujevac, Kanicova bb • Tel: +381 (0)34 333 400 • office@tis-jelovica.rs | **TIS MONTE** Podgorica, Vojislav Ljevića 38B • Tel: +382 20 450 750, 450 752 • office@tismonte.me | **TIS-UNIVER SAVIĆ** 12000 Požarevac, Trg Oslobođenja 1 • Tel: +381 (0)60 017 0802 • office@tis-universavic.rs • mp.pozarevac@tis-universavic.rs